



OptumRx has partnered with CoverMyMeds to receive prior authorization requests, saving you time and often delivering real-time determinations.

Visit go.covermymeds.com/OptumRx to begin using this free service.

Please note: All information below is required to process this request.

Mon-Fri: 5am to 10pm Pacific / Sat: 6am to 3pm Pacific

Solu-Cortef® Prior Authorization Request Form (Page 1 of 2)

DO NOT COPY FOR FUTURE USE. FORMS ARE UPDATED FREQUENTLY AND MAY BE BARCODED

Member Information (required)	Provider Information (required)
-------------------------------	---------------------------------

Member Name:			Provider Name:		
Insurance ID#:			NPI#:		Specialty:
Date of Birth:			Office Phone:		
Street Address:			Office Fax:		
City:	State:	Zip:	Office Street Address:		
Phone:			City:	State:	Zip:

Medication Information (required)

Medication Name:		Strength:	Dosage Form:
<input type="checkbox"/> Check if requesting brand		Directions for Use:	
<input type="checkbox"/> Check if request is for continuation of therapy			

Clinical Information (required)

Continuation of therapy:
 Is this a continuation of prior therapy? Yes No
 If "yes" to the above question, please submit documentation (e.g., medical records, chart notes, pharmacy claims) or provide the dates, duration, and previous regimen used below: **(REQUIRED)**

Select the diagnosis below:

- Allergic states:** Control of severe or incapacitating allergic conditions intractable to adequate trials of conventional treatment in asthma, atopic dermatitis, contact dermatitis, drug hypersensitivity reactions, perennial or seasonal allergic rhinitis, serum sickness, transfusion reactions
- Dermatologic diseases:** Bullous dermatitis herpetiformis, exfoliative erythroderma, mycosis fungoides, pemphigus, severe erythema multiforme (Stevens-Johnson syndrome)
- Endocrine disorders:** Primary or secondary adrenocortical insufficiency (hydrocortisone or cortisone is the drug of choice; synthetic analogs may be used in conjunction with mineralocorticoids where applicable; in infancy, mineralocorticoid supplementation is of particular importance), congenital adrenal hyperplasia, hypercalcemia associated with cancer, nonsuppurative thyroiditis
- Gastrointestinal diseases:** To tide the patient over a critical period of the disease in regional enteritis (systemic therapy) and ulcerative colitis
- Hematologic disorders:** Acquired (autoimmune) hemolytic anemia, congenital (erythroid) hypoplastic anemia (Diamond Blackfan anemia), idiopathic thrombocytopenic purpura in adults (intravenous administration only; intramuscular administration is contraindicated), pure red cell aplasia, select cases of secondary thrombocytopenia
- Miscellaneous:** Trichinosis with neurologic or myocardial involvement, tuberculous meningitis with subarachnoid block or impending block when used concurrently with appropriate antituberculous chemotherapy
- Neoplastic diseases:** For the palliative management of leukemias and lymphomas
- Nervous system diseases:** Acute exacerbations of multiple sclerosis; cerebral edema associated with primary or metastatic brain tumor, or craniotomy
- Ophthalmic diseases:** Sympathetic ophthalmia, uveitis and ocular inflammatory conditions unresponsive to topical corticosteroids
- Renal diseases:** To induce diuresis or remission of proteinuria in idiopathic nephrotic syndrome, or that due to lupus erythematosus
- Respiratory diseases:** Berylliosis, fulminating or disseminated pulmonary tuberculosis when used concurrently with appropriate antituberculous chemotherapy, idiopathic eosinophilic pneumonias, symptomatic sarcoidosis

< continued on the next page >

This document and others if attached contain information that is privileged, confidential and/or may contain protected health information (PHI). The Provider named above is required to safeguard PHI by applicable law. The information in this document is for the sole use of OptumRx. Proper consent to disclose PHI between these parties has been obtained. If you received this document by mistake, please know that sharing, copying, distributing or using information in this document is against the law. **If you are not the intended recipient, please notify the sender immediately.**
 Office use only: Solu-Cortef_GoldCoast_2018Jul-W

Solu-Cortef[®] Prior Authorization Request Form (Page 2 of 2)

DO NOT COPY FOR FUTURE USE. FORMS ARE UPDATED FREQUENTLY AND MAY BE BARCODED

<continued from the previous page>

- Rheumatic disorders:** As adjunctive therapy for short-term administration (to tide the patient over an acute episode or exacerbation) in acute gouty arthritis; acute rheumatic carditis; ankylosing spondylitis; psoriatic arthritis; rheumatoid arthritis, including juvenile rheumatoid arthritis (selected cases may require low-dose maintenance therapy) and treatment of dermatomyositis, temporal arteritis, polymyositis, and systemic lupus erythematosus
- Other diagnosis: _____ ICD-10 Code(s): _____

Clinical Information:

Is there presence of contraindications or absolute drug interactions with existing therapy? Yes No

Are there any other comments, diagnoses, symptoms, medications tried or failed, and/or any other information the physician feels is important to this review?

Please note:

This request may be denied unless all required information is received.
For urgent or expedited requests please call 1-800-711-4555.
This form may be used for non-urgent requests and faxed to 1-800-527-0531.